

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	(automatic\$5 same (network with element) same includ\$5 same (integrat\$5 with server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:21
L3	1	(automatic\$5 same (network with element) same includ\$5 same (integrat\$5 with server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:38
L4	12	(automatic\$5 same (element) same includ\$5 same (integrated with server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:38
L5	11	(automatic\$5 same (element) same includ\$5 same (integrated with server) same (size or capa\$6 or option or service)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:42
L6	0	(automatic\$5 same (element) same includ\$5 same (integrated with server) same (size or capa\$6 or option or service)) and @ad<"20010212" and (709/220. ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:46
L7	4	(automatic\$5 same (element) same includ\$5 same (integrated with server) same (size or capa\$6 or option or service)) and @ad<"20010212" and ("709"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:39
L8	31	((automatic\$5 with includ\$4) same includ\$5 same (integrated with server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:43
L10	12	((automatic\$5 near4 includ\$4) same includ\$5 same (integrated with server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:43
L11	12	((automatic\$5 near4 includ\$4) same (integrated with server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:43

L12	5	((automatic\$5 near4 includ\$4) same (integrated with server) same network) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:45
L13	4	((automatic\$5 near4 includ\$4) same (integrated near2 server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:45
L14	5	(automatic\$5 same (element) same includ\$5 same (server) same (size or capa\$6 or option or service)) and @ad<"20010212" and (709/220.ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:48
L15	27	((integr\$6 with server) same (automatic\$4 with (decid\$5 or determ\$5)) same (network or device or element))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:49
L16	8	((integr\$6 with server) same (automatic\$4 with (decid\$5 or determ\$5)) same (network or device or element)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:49
L17	0	((network adj element) same inclu\$5 same (integrated adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:59
L18	1	((network with element) same inclu\$5 same (integrated adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:57
L19	3	((network with element) same (integrated adj server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:57
L20	26	((network adj element) same (inclu\$5 with (server)) same automatic\$5) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:01
L21	4	((network adj element) same (inclu\$5 with (server)) same automatic\$5 same (result or test\$4 or capacity)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:00

L22	0	((network adj element) same (inclu\$5 with (server)) same automatic\$5) and @ad<"20010212" and (709/220.ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:01
L23	12	((network adj element) same (inclu\$5 with (server)) same automatic\$5) and @ad<"20010212" and ("709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:05
L25	27	kim.in. and (automatic\$5 same network same server same (result or test\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:06
L28	9	kim.in. and (automatic\$5 same network same server same (result or test\$4)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:08
L29	100	(server with includ\$4 with network with (element or device or apparatus) with (test\$4 or result)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:10
L30	88	(server with includ\$4 with network with (element or device or apparatus) with (result)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:10
L31	3	(server with includ\$4 with network with (element or device or apparatus) with (result)) and @ad<"20010212" and (709/220.ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:16
L32	170	(server with includ\$4 with network with (element or device or apparatus)) and @ad<"20010212" and (709/220.ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:17
L33	3	(server with includ\$4 with (network adj (element))) and @ad<"20010212" and (709/220.ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:18
L34	7	(server with includ\$4 with (network adj (element)) with result) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:19

L35	31	(server same (network with element with incl\$5) same automatic\$4) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:27
L36	13	(server same (network with element with incl\$5) same automatic\$4) and @ad<"20010212" and ("709"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:32
L37	0	(server same (network with element with incl\$5) same automatic\$4 same (set with result)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:32
L38	0	(server same (network with element with incl\$5) same automatic\$4 same (result)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:34
L39	0	((integrated adj server) same (network adj element) same automatic\$4 same (result) same configur\$4) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:35
L40	0	((integrated adj server) same (network adj element) same automatic\$4 same (result) same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:35
L41	0	((integrated adj server) same (network adj element) same automatic\$4 same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:35
L42	1	((server) same (network adj element) same automatic\$4 same (result) same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:36
L43	34	((server) same (network adj element) same automatic\$4 same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:36
L45	0	((integr\$6 with server) same (network adj element) same automatic\$4 same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:36

L46	0	((integr\$6 with server) same (network adj element) same automatic\$6 same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:36
L47	0	((integr\$6 adj server) same (network adj element) same automatic\$6 same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:36
L50	34	((server) same (network adj element) same automatic\$6 same configur\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:37
L51	32	((server) same (network adj element) same automatic\$6 same incl\$6) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:37
L52	13	((server) same (network adj element) same automatic\$6 same incl\$6) and @ad<"20010212" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:40
L54	0	(automatic\$5 with includ\$5 with (integrated adj server) with result) and @ad<"20010212" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 17:18
L55	0	(automatic\$5 with includ\$5 with (integrated adj server) with result) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 17:13
L56	0	(automatic\$5 with includ\$5 with (integrated adj server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 17:14
L57	3	(automatic\$5 with (integrated adj server)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 17:14
L58	11	(automatic\$5 with includ\$5 with (server) with result) and @ad<"20010212" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 17:20

L60	9	(server with element with includ\$5 with automatic\$4) and @ad<"20010212" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 17:21
-----	---	--	---	----	----	------------------